Approved For Release 2003/08/08 : CIA-RDP80-01370R000200080019-2 5 6 0 - 370 6 GEODS NSA review completed NEXTRANGE FOR: Deputy Elector (Support) Personnel Requirements for the SULJECT Anxillary Telephone System in the New Building 1. This memorandum contains a recommendation for your approval in paragraph two. 2. The Intional Security Agency has remained adament in its requirements that we formish the mecessary personnel to install and maintain the auxiliary telephone system in the new building. I therefore recommend that you approve my request for an increase of two calling positious and the related funds for their cularies (b)(3) - P.L. 86-36 (\$6,361.00 per year) in our Telephone Section. In addition, permission is requested to contract for one person to perform the inspection services during the installation of the main frame and cable. 25X9A8 FOIAB3C has assured us that they will assist us in interviewing and evaluating applicants for the two Telephone 25X9A8 Installer-Repairer Helpers, W-5 jobs and will train and supervise them. They have also recommended Mr. as an experienced inspector, who has 25X9A8 one business both on a congany contract and personal services basin. 25X9A8 pervises would be required for a period of only a couple of months during the installation of the main frame and cable. 4. In order for OCI to have uninterrupted direct contact with MSA when they move into the new building, we should have the two Installer-Repairer Relpars on the payroll no later than 1 January 1961. In view of this date it is urgent that this matter have expeditious are ready to furnish all bandling. Masers. 25X1A9A possible cooperation. 25X1 JANGS A. CHRESTS Mrector of Logistics Distribution: Orig & - - D/Berson 13 OCT 1960 1 - OL Illes V- Comp 1 - D/L bold /- met J Rewritten: OL/MPS/I Deputy Director (7 October 1960) (Aurocrt) -5832 25X1A9A Approved For Release 2003/08/08 CIA-RDP80-01370R000290080019-